

## A circular black and white stamp. The text "OIP" is at the top, "E" is on the right, and "IAP" is on the left. In the center, "OCT 01 2007" is printed. At the bottom, "PATENT &amp; TRADEMARK OFFICE" is written in a semi-circle.

**Examiner Surekha Vathyam**

## **PETITION FOR EXTENSION OF TIME**

120.00 OP

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re U.S. Patent Application of )

HARADA et al. )

Serial Number: 10/687,614 )

Filed: October 20, 2003 )

For: REMOVAL METHOD FOR COATING OF )  
POLYMER COATED GLASS CAPILLARY )  
TUBING AND POLYMER COATED GLASS )  
CAPILLARY TUBING )

Attorney Docket No. HIRA.0125 )

Art Unit 1753

Examiner Surekha Vathyam

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**PETITION FOR EXTENSION OF TIME**

Sir:

Applicants request that the time for taking action in this case be extended pursuant to 37 C.F.R. § 1.136(a) for one (1) month. The fee set in 37 C.F.R. § 1.17 for the extension of time is \$120.00.

Please charge any additional fee required for this extension of time to Deposit Account 08-1480. A duplicate copy of this paper is enclosed.

Also filed is a *Supplemental Response to the Final Office Action*.

Respectfully submitted,

Stanley P. Fisher  
Registration Number 24,344

Ivan Carlos A. Marquez  
Registration Number 34,072

**REED SMITH LLP**  
3110 Fairview Park Drive  
Suite 1400  
Falls Church, Virginia 22042  
(703) 641-4200  
October 1, 2007